



ONE DEVICE FOR ALL SOLUTION



XL 100 MODEL

"Set sail for technology with versatile protection and general management with XLog Firewall."


PHONE SUPPORT - EASY MANAGEMENT - ENGLISH/TURKISH INTERFACE





Network Security and Logging System





Companies manage network easily and save time with XLog. Also, Xlog provide secure network and more.

ALL IN ONE PROTECTION

Xlog provides firewall and logging management on one screen.

AFFORDABLE PRICES

Offering affordable prices for first sale and license renewal.

DIFFERENT LOCATION SOLUTIONS

In distant branches, easily connect to network with Site to site VPN or SSL VPN.

PHONE SUPPORT


Easily communicate with our technical support team.





Secure Your Network Easily With Turkish Interface


Constantly Updating Interface






HARDWARE

XL100 - 6xGE





Model	Console Port	USB Port	6x Gbit Ethernet	2x SFP 1G	2x SFP+ 10G	VGA Input
XL100 6x GE	+	+	+	-	-	+


1. Console Port3. 6x Gbit Ethernet

2. USB Port 4. VGA Input



NEW GENERATION FIREWALL

- Firewall provide port on, off and implement routing process.
- Firewall blocks port attacks and it provides security of system.
- Rules can creating on group basis.
- Abroad countries ip is blocking as default. If create incorrect rule system spontaneously block it. (Cyber attacks originate largely from abroad these blocks have been closed by our systems. If require international connections, easily removable the blocks).



- Ports can be open and close with mobile application or manually. (Generally in firewall, admin opened port and forget it, that causes deficit in the system. For this reason, in Xlog, admin can open port based on time , when time expired system off the port spontaneously. Also, admin or access users can open port basis of time on mobile application.)
- Firewall notifies any communication to port with SMS and mail. (If any requested to connect the ports. The system automatically notifies when e-mail address or phone number that define in the system.)
- Firewall supplies information about port connection and instantaneous IP connection.



XLOG 100 FEATURES					
Device	Rack Type				
Supported Users	100				
Keeping Records	2 Year				
Notify Options	Sms, Email				
Language Support	Turkish, English				
Reporting	Yes				
Logging on the Device	Yes				
Firewall Performance	2200 Mbps				
NGFW	700 Mbps				
Ethernet Port	6x Gbit Ethernet				
Fiber Port	-				
Hardware	1U UTM				

- The device provide solutions with high hardware features for medium sized enterprise and institutions.
- The device supports maximum 100 users.
- In Xlog all modules are active without need any extra certificate or license.
- Log records are signed automatically with Tubitak Timestamp.
- The system holds log records 2 years on the device.
- You can implement security policy according to the law.



NEW GENERATION FIREWALL

Set sail for technology with versatile protection and general management with XLOG Firewall.

XLog devel oped for guarding your infrastructure and network for potential attacks. Also, XLog provide management of your network on a point.



ONE DEVICE FOR ALL SOLUTION

