

Network Security and Logging System

ONE DEVICE FOR ALL SOLUTION



XL 25 MODEL

"Set sail for technology with versatile protection and general management with XLog Firewall."

PHONE SUPPORT - EASY MANAGEMENT - ENGLISH/TURKISH INTERFACE



IPS/IDS • HTTP/S DNS Filtering • Application Filtering • SYSLOG Signature • SSL VPN/VPN
Mac Filtering • Load Balance • Bandwidth • Hotspot • 5651 Logging • Wan Fail Over



Network Security and Logging System



Companies manage network easily and save time with XLog. Also, Xlog provide secure network and more.

ALL IN ONE PROTECTION

Xlog provides firewall and logging management on one screen.

AFFORDABLE PRICES

Offering affordable prices for first sale and license renewal.

DIFFERENT LOCATION SOLUTIONS

In distant branches,easily connect to network with Site to site VPN or SSL VPN.

PHONE SUPPORT


Easily communicate with our technical support team.





Secure Your Network Easily With Turkish Interface


Constantly Updating Interface






HARDWARE

XL25 - 6xGE





Model	Console Port	USB Port	6x Gbit Ethernet	2x SFP 1G	2x SFP+ 10G	VGA Input
XL25 6x GE	+	+	+	-	-	+


1. Console Port	3.	6x Gbit Ethernet

2. USB Port	4.	VGA Input



NEW GENERATION FIREWALL

- Firewall provide port on, off and implement routing process.
- Firewall blocks port attacks and it provides security of system.
- Rules can creating on group basis.
- Abroad countries ip is blocking as default. If create incorrect rule system spontaneously block it. (Cyber attacks originate largely from abroad these blocks have been closed by our systems. If require international connections, easily removable the blocks).



- Ports can be open and close with mobile application or manually. (Generally in firewall,admin opened port and forget it,that causes deficit in the system. For this reason, in Xlog, admin can open port based on time ,when time expired system off the port spontaneously. Also,admin or access users can open port basis of time on mobile application.)
- Firewall notifies any communication to port with SMS and mail. (If any requested to connect the ports. The system automatically notifies when e-mail address or phone number that define in the system.)
- Firewall supplies information about port connection and instantaneous IP connection.



XLOG 25 FEATURES

Device	Rack Type
Supported Users	25
Keeping Records	2 Year
Notify Options	Sms, Email
Language Support	Turkish, English
Reporting	Yes
Logging on the Device	Yes
Firewall Performance	1000 Mbps
NGFW	300 Mbps
Ethernet Port	6x Gbit Ethernet
Fiber Port	-
Hardware	1U UTM

- The device provide solutions for Small and Medium Sized Enterprise.
- The device supports maximum 25 users.
- In Xlog all modules are active without need any extra certificate or license.
- Log records are signed automatically with Tubitak Timestamp.
- The system holds log records 2 years on the device.
- You can implement security policy according to the law.



NEW GENERATION FIREWALL

Set sail for technology with versatile protection and general management with XLOG Firewall.

XLog devel oped for guarding your infrastructure and network for potential attacks. Also, XLog provide management of your network on a point.



ONE DEVICE FOR ALL SOLUTION

