

ONE DEVICE FOR ALL SOLUTION



XL-25

“Sail into technology with XLOG Firewall, all-round protection and overall management.”

- IPS/IDS • HTTP/HTTPS Filtering
- Application Filtering • SYSLOG Singing • Firewall
- SSL VPN/VPN • Transparent/Split Tunnel
- Cluster Redundant Structure • Mac Filtering
- Load Balance • Load Failover • Bandwidth
- Hotspot • 5651 Logging



Firewall



IPS / IDS

Intrusion Detection
& Prevention System



HTTP / HTTPS

WEB Filtering




Application
Filtering



SSL VPN



5G
Filtering



802.11

Filtering




Hotspot



Network Security and Logging System

Multiple solutions with one device and one license. XLOG is a firewall with logging and hotspot features.




Next Generation **Firewall**

- Port opening-closing and routing operations are implemented with the Firewall feature.
- System security is ensured by preventing external port-based attacks.
- Group-based rules can be created and the desired rules are applied to the desired groups.
- IPs outside Turkey are blocked by default. IPs outside Turkey are automatically blocked by the system even if the wrong rule is created. (These blocks have been closed by our systems due to the fact that cyber-attacks are largely originating from abroad, and in case our customers need international connections, the necessary IPs are specially allowed.)
- Possibility to manually open a timed port.
- Ability to see IPs connected to ports instantly.
- You can create rules for allowing and blocking traffic access between networks.

Hardware

6x GE



| Model | Console Port | USB Port | Gbit Ethernet | SFP | VGA/HDMI Port |
|-------|--------------|----------|---------------|------|---------------|
| 6x GE | Yes | 2x | 6x | None | VGA |

XLOG 25 FEATURES

| | |
|-------------------------|------------------|
| Supported Users | 25 |
| Keeping Records | 2 Year |
| Notify Options | SMS/Email |
| Reporting | Yes |
| Logging on the Device | Yes |
| Firewall Performance | 3000 Mbps |
| Application Performance | 1250 Mbps |
| NGFW | 750 Mbps |
| Ethernet Port | 6x Gbit Ethernet |
| Fiber Port | - |
| Hardware | 1U UTM |

- The device provides solutions for Small and Medium Sized Enterprise.
- All modules are active without need any extra certificate or license.
- Log records are signed automatically with Tubitak Timestamp.